

Accessories for SE-range ESL

2025



Table of Contents

SE-range introduction	2
The Labels	3
Rail Accessories	8
Mount Accessories	13
The Basestation	18
Compatibility Chart	21

SE-range Introduction



To create a distinctive business environment Opticon offers both e-paper and colored digital signage solutions. Opticon's wireless Electronic Shelf Label (ESL) system is based on a radio architecture and e-paper label that provides advantages in performance, cost and power consumption.

Our ESLs are suitable for industries such as retail, fashion, catering, mobile shops, jewelry, home appliances, pharmacy, industry, warehouse and room signage. The benefits of digital signage are that information can be presented more easily, prices can be adjusted instantly, and the signs can adapt to the context

and audience, even interactively. Opticon's solutions aim to dramatically impact how companies operate their businesses providing a superior platform that can improve profitability and enable new customer-facing applications, promotions and loyalty programs.

Opticon's solution highlights:


- Full centralized control and accuracy
- High flexibility in display content that is user-configurable
- Long-lasting usage
- High speed bi-directional communication
- Integrates with existing (retail) systems

Opticon's e-paper label boasts a high contrast ratio and superior viewing angle. It is bi-stable, which means that the image will remain on the display even after power is disconnected. Depending on individual usage, these battery powered ESLs can be used up to 5 years. We offer various sizes and colors, optional NFC and various mounting options. All to provide different technologies for different needs in the same store.

The smaller sizes of ESLs can be conveniently mounted using Opticon's rail mounting solution. You can find these rails in the chapter: 'Rail Accessories'. The ESLs are used in many different environments. To facilitate the many mounting requirements you will find

plenty of mounting accessories in the chapter: 'Mount Accessories'. It gives universal mounting options for the small SE-range as well as for the larger sizes ESLs, like the SE-420, SE-583RY and SE-1160R. In the last chapter 'Compatibility Chart' you can always check if your ESL fits a certain accessory. Other rails and different mounting options can be produced for the labels depending on request.

You can find all the parts that are required to facilitate the communication part of Opticon's ESL solution in the chapter: 'The Basestation'. All the parts combined deliver the full Opticon ESL solution. The Basestation can connect to the entire SE-Range of ESL's at the same time.



SE-214

BWR

BWRY



Main specifications

- Display: e-paper b/w/r and b/w/r/y
- Battery: 2x CR2450
- Radio protocol: IEEE 802.15.4
- Number of dots: 250 x 122
- Pixel pitch: 130 dpi
- 1 RGB LED, adjustable brightness and duty level
- Dimensions: 72.8 x 35.8 x 13.7 mm

Model	Color	Power	NFC	LED	Sound	Art. code
SE-214R	B/W/R	Battery	No	Yes	No	15249
SE-214RY	B/W/R/Y	Battery	No	Yes	No	15250

SE-214F

BW



Main specifications

- Display: e-paper b/w
- Radio protocol: IEEE 802.15.4
- Number of dots: 250 x 122
- Pixel pitch: 130 dpi
- Temperature: -25°C to 25°C
- 1 RGB LED, adjustable brightness and duty level
- Dimensions: 71.5 x 38.5 x 15.2 mm

Model	Color	Power	NFC	LED	Sound	Art. code
SE-214F	B/W	Battery	No	Yes	No	15251

SE-266R

BWR



Main specifications


- Display: e-paper b/w/r
- Battery: 2x CR2450
- Radio protocol: IEEE 802.15.4
- Number of dots: 296 x 152
- Pixel pitch: 125 dpi
- 1 RGB LED, adjustable brightness and duty level
- Dimensions: 86.9 x 42.9 x 12.9 mm

Model	Color	Power	NFC	LED	Sound	Art. code
SE-266R	B / W / R	Battery	No	Yes	No	15252

SE-290

BWR

BWRY



Main specifications

- Display: e-paper b/w/r and b/w/r/y
- Battery: 2x CR2450
- Radio protocol: IEEE 802.15.4
- Number of dots: 296 x 128
- Pixel pitch: 112 dpi
- 1 RGB LED, adjustable brightness and duty level
- Dimensions: 94 x 43.2 x 11.8 mm

Model	Color	Power	NFC	LED	Sound	Art. code
SE-290R	B / W / R	Battery	No	Yes	No	15254
SE-290RY	B / W / R / Y	Battery	No	Yes	No	15255

SE-290A

BW
BWR



Main specifications

- Display: e-paper b/w and b/w/r/y
- Battery: 2x CR2450
- Radio protocol: IEEE 802.15.4
- Number of dots: 296 x 128
- Pixel pitch: 112 dpi
- 1 RGB LED, adjustable brightness and duty level
- Button for various functions
- Dimensions: 103.5 x 43.2 x 12.6 mm

Model	Color	Power	NFC	LED	Sound	Art. code
SE-290A	B / W	Battery	No	Yes	No	15256
SE-290ARY	B / W / R / Y	Battery	No	Yes	No	15318

SE-420

BWR
BWR




Main specifications

- Display: e-paper b/w/r and b/w/r/y
- Battery: 4x CR2450
- Radio protocol: IEEE 802.15.4
- Number of dots: 400 x 300
- Pixel pitch: 120 dpi
- 1 RGB LED, adjustable brightness and duty level
- Dimensions: 104.9 x 93.9 x 13.7 mm

Model	Color	Power	NFC	LED	Sound	Art. code
SE-420R	B / W / R	Battery	No	Yes	No	15258
SE-420RY	B / W / R / Y	Battery	No	Yes	No	15259

SE-583RY

BWRY



Main specifications

- Display: e-paper b/w/r/y
- Battery: 4x CR2450
- Radio protocol: IEEE 802.15.4
- Number of dots: 648 x 480
- Pixel pitch: 138 dpi
- 1 RGB LED, adjustable brightness and duty level
- Dimensions: 139.9 x 119.5 x 14.3 mm

Model	Color	Power	NFC	LED	Sound	Art. code
SE-583RY	B/W/R/Y	Battery	No	Yes	No	15261

SE-116OR

BWR



Main specifications

- Display: e-paper b/w/r
- Battery: CP783970
- Radio protocol: IEEE 802.15.4
- Number of dots: 960 x 640
- Pixel pitch: 100 dpi
- 1 RGB LED, adjustable brightness and duty level
- Dimensions: 271.8 x 196.2 x 14.2 mm

Model	Color	Power	NFC	LED	Sound	Art. code
SE-116OR	B/W/R	Battery	No	Yes	No	15262



Rail Accessories

The SE-214, SE-214F, SE-266R, SE-290 and SE-290A can be conveniently mounted using Opticon's rail mounting solution.

This rail mounting solutions consists of two elements; a dedicated front rail for our ESLs in combination with a back rail that is suitable for your use. This can be done by mounting rail type 'B' to your preferred surface. Rail type 'A' can be attached to any of the rail types marked with 'B'. Optional accessories 'C' can be used to add functionality to the labels.

The labels can be attached to the rail type 'A' by sliding them in from the side or by clicking them in from the frontside

of the rail. To do this you must insert the top of the label first, then push down on the bottom of the label. The removal of the labels can be done by sliding them to the end of the rail.




Rail for SE-2xx

A

- Front rail for SE-214, SE-214F, SE-266R, SE-290 and SE-290A
- Front rail can be combined with all B-rails
- Length: 1000mm
- Material: PVC
- Color: Transparent

Model	Art. #
Holder rail SE-2x transp 1m	15305




Rail for Wire/Wire

B

- Rail for Wire/Wire basket/Box
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent

Model	Art. #
Shelf rail wire/wire 1m	14745




Rail 20-22mm

B

- Rail for 20-22mm Shelves C-Channel/Loizier/Madix/P25(HMY) /La Fortezza F25
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent

Model	Art. #
Shelf rail inheight 20-22mm 1m	14744



Rail flat 8-12mm

B


- Rail for 8-12mm thickness Flat Shelf
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent

Model

Art.

Shelf rail flat 8-12mm 1m

14746



Rail for H Shelves

B


- Rail for 26mm H Shelves Double-Wire/Alser /Cefla System 25 /Fa Fortezza
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent

Model

Art.

Shelf rail H-shelves 26mm 1m

14747



Rail for H Shelves

B


- Rail for 14.5mm H Shelves Double Wire/Wanzl /Alser/Cefla System 25/La Fortezza F25
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent

Model

Art.

Shelf rail H-shelves 14.5mm 1m

14750



Rail for Cefla 25

B

- Rail for 22.5-23.5mm Shelf Cefla System 25
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent

Model

Art.

Shelf rail Cefla 22.5mm 1m

14749



Rail 15mm in height

B


- Rail for inner height 15mm Shelves CChannel/Loizier/Streater/Alser InnovatinV4/Madix/Hermes Metal e Yudigar P25 (HMY)/ La Fortezza F25
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent

Model

Art.

Shelf rail inheight 15mm 1m

14748



Rail for 30mm Shelves

B


- Rail for 30mm Shelves Linde/Tegometal/Alser /Cefla System 25/La Fortezza etc.
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent

Model

Art.

Shelf rail 30mm shelves 1m


14751



Rail flat surface tape B

- Rail for 14.5mm H Shelves Double Wire/Wanzl /Alser/Cefla System 25/La Fortezza F25
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent


Model	Art. #
Shelf rail flat surface tape	14929



Rail on top tape B

- Rail for 14.5mm H Shelves Double Wire/Wanzl /Alser/Cefla System 25/La Fortezza F25
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent


Model	Art. #
Shelf rail on top tape	14930



Rail Intrac IMZ25 V13 B

- Rail for inner height 15mm Shelves CChannel/Loizier/Streater/Alser InnovatinV4/Madix/Hermes Metal e Yudigar P25 (HMY)/ La Fortezza F25
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent

Model	Art. #
Shelf rail Intrac IMZ25 V13	14931



Rail Fortezza P25 B

- Rail for 30mm Shelves Linde/Tegometal/Alser /Cefla System 25/La Fortezza
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent


Model	Art. #
Shelf Fortezza P25	14932



Combined strip rail B

- Rail for 30mm Shelves Linde/Tegometal/Alser /Cefla System 25/La Fortezza
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent


Model	Art. #
Combined strip rail 1m	15039 *



Rail for 16-30mm flat B

- Rail for 16-30mm thick Flat Shelf
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent


Model	Art. #
Shelf rail flat 16-30mm 1m	14752



Rail for special constr. B

- Rail for 19-20.5mm H special construction shelf
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent


Model	Art. #
Shelf rail H spec 19-20,5mm 1m	14754



Rail for V shelf B

- Rail for vertical height 30-35mm No-tag Shelving, Works with Darling Flat/Syndicate Shelves
- Can be inserted in A-rail
- Length: 1000mm
- Material: PVC
- Color: Transparent

Model	Art. #
Shelf rail V height 30-35mm 1m	14755



Bumper for Rail C

- Works with Flat Surface Shelf, to protect ESL from accidental damage by shopping carts
- The front bumper rail can be inserted with A-rails
- Length: 1000mm
- Material: PVC
- Color: Transparent


Model	Art. #
Bumper rail Flat surface shelf	14753



Promotion Card Holder C

- Extrusion label holder for promotion
- Inserting into the rear socket of rails
- Inserted label size: 45mm H
- Length: 80mm
- Material: PVC
- Color: Transparent


Model	Art. #
Promotion card holder 45mm	14764 *



Promotion Card Holder C

- Shelf talker clip for promotion
- Working with the rails with promotion card
- Material: PVC
- Color: Transparent

Model	Art. #
Promotion card holder	14765 *



Promotion Card Holder C

- Shelf talker for promotion
- Working with rails
- Front is with adhesive white foam tape
- Material: PVC
- Color: Transparent


Model	Art. #
Promotion card holder tape	14766 *



Angle adjuster for rail C

- Angle adjuster for:
- Adjusting the angle of the rails at a 25° or 45° angle
- To be inserted at the rear socket of the rail holder
- Material: PVC
- Color: Transparent

Model	Art. #
Holder rail angle adjuster	14781 *



Disassemble tool C

- ESL Disassemble Accessory for: Removing ESL label from rail
- Material: ABS
- Color: Grey

Model	Art. #
Disassemble tool for 14669	14782

Designed
with
multi-
functionality
in
mind



Mount Accessories




Mounting options consist of different fixtures, hooks, foot's, clamps, clips and sticks. A lot of these mounting options are available in white, black or transparent variants. Different mounting options can be produced for the labels depending on request.

The 'Holder SE-serie' marked with 'I' can be used for the smaller size ESL; SE-214, SE-266R, SE-290, SE-290A, SE-420 and the SE-583RY.

This holder is compatible with all items marked with 'II'.

The mounting of the SE-1160R labels is different compared to the smaller labels, because the backside has several slots integrated. This makes it compatible with the accessories marked with 'III'.


Check out the compatible chart further in this brochure to have a convenient overview of which item is compatible with which ESL.



Holder SE-series

- Mounting adapter for SE-214, SE-214F, SE-266R, SE-290, SE-420, and SE-583RY. Works together with other mounting hardware.
- Material: PVC
- Color: Transparent


Model	Art. #
Holder bracket SE-series	15300



Holder SE-2x TH 3-6mm

- T-peg hook with adjusted angle for: 3-6mm diameter
- Includes 'Holder bracket SE-series' (15300)
- Material: PVC
- Color: Transparent


Model	Art. #
Holder bracket SE-2x TH 3-6mm	15301 *



Holder SE-2x TH 5-8mm

- T-peg hook with adjusted angle for: 5-8mm diameter
- Includes 'Holder bracket SE-series' (15300)
- Material: PVC
- Color: Transparent


Model	Art. #
Holder bracket SE-2x TH 5-8mm	15302 *



Holder SE-ser TH 3-5mm I

- T-peg hook or wire with adjusted angle for: 3-5mm diameter
- Includes 'Holder bracket SE-series' (15300)
- Material: PVC
- Color: Transparent


Model	Art. #
Holder bracket SE-ser TH3-5mm	15304



Holder SE-2x TH 3-10mm I

- For 3-10mm diameter T-peg hook or wire
- Includes 'Holder bracket SE-series' (15300)
- Material: PVC
- Color: Transparent


Model	Art. #
Holder bracket SE-2x TH3-10mm	15303 *



Stand Table Small II

- Small table top support with hinge on the back
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: Transparent


Model	Art. #
Mount stand table front small	14772



Stand Table Small II

- Small table top support with hinge in the middle
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: Transparent

Model	Art. #
Mount stand table middle small	14773 *



Mount Stand magn. II

- Small table top support with magnet
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: Black


Model	Art. #
Mount stand magnetic	14993



Stand Table Long II

- Long Table top support for deli area
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: Transparent

Model	Art. #
Mount stand table middle long	14774




Stand Table Big



- Big table top support
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: Transparent

Model	Art. #
Mount stand table big	14775



Stand Table Big magn.



- Big table top support with magnet
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: Transparent

Model	Art. #
Mount stand table big magnet	14919



Telescopic Pole



- Telescopic pole stand
- Adjustable height 150-280mm
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC & Metal
- Color: Transparent & Black

Model	Art. #
Mount stand 150-280mm	14768



Telescopic Pole



- Telescopic pole stand
- Adjustable height 280-480mm
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC & Metal
- Color: Transparent & Black

Model	Art. #
Mount stand 280-480mm	14767




Telescopic Pole



- Telescopic pole stand
- Adjustable height 450-750mm
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC & Metal
- Color: Transparent & Black

Model	Art. #
Mount stand double 450-750mm	14769 *




Clamp Adj. Arm



- Clip with adjustable arm
- Does not include 'Holder bracket SE-range' (15300)
- Material: ABS
- Color: Grey

Model	Art. #
Mount clip adjustable angle	14778




Vertical Clip



- Vertical clip for: 12-20mm basket and wood/glass shelf
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: Transparent

Model	Art. #
Mount clip vertical 12-20mm	14771




Horizontal Clip



- Horizontal clip for: 12-20mm wood/glass shelf
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: Transparent

Model	Art. #
Mount clip horizontal 12-20mm	14770



L-Hook hanger



- L hook hanger for: 6-8mm T hook
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: Transparent

Model	Art. #
Holder bracket Lahook 6-8mm	14762



Mount Hanger with ring



- Promotion hanger for rail mounting
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: Transparent

Model	Art. #
Mount hanger with ring	15080




Mount Hanger wire double sided



- Promotion hanger with wire for rail mounting
- Double-sided
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: Transparent

Model	Art. #
Mount hanger wire double-side	14992




Mount Hanging clip



- Promotion hanger for clip mounting
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: Transparent

Model	Art. #
Hanging clip transparant	15082




Ice Pin



- Ice pin mount for frozen area
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: Transparent

Model	Art. #
Mount ice pin	14777 *



Hanger Rail



- Promotion hanger for rail mounting
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: Transparent

Model	Art. #
Mount hanger for rail	14776




Mount Hanger 3-12mm



- Promotion hanger for rail mounting
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: Black

Model	Art. #
Mount hanger 3-12mm	14933




Pole/bottle fastener



- Promotion hanger for around a pole or bottle
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: White

Model	Art. #
Pole/bottle fastener white	15083




Clip for Tegometal shelf



- Clip for Tegometal shelf system
- Does not include 'Holder bracket SE-range' (15300)
- Material: PVC
- Color: White

Model	Art. #
Clip onto Tegometal shelf white	15081



Metal wire for mounting

- Metal wire for mouting
- Material: metal
- Color: metal

Model	Art. #
Metal wire for mounting	14862 *

The Basestation

From small retail to multi-store business, implementation of the Basestation is very simple. All e-paper labels are connected to the same network and content management system, which is connected to the back-office system. One EBS-40 base station can load 2,500 ESLs per station and has a 25-meter indoor radius.

The ESL Server software runs on the Base Station and can be used to provide the ESLs with content. There are different types of solutions that the ESL Server Software will support: CSV-file solution, SQL solution, CSV / SQL hybrid solution, External content management solution and a SQL API. You can download the latest version from www.opticon.com.



Use the EBS Power Supply to provide the Base Station with 6V power. You can use the EBS Ethernet cable to connect the Base Station to your existing network.



EBS-40



Main specifications

- ESL Base Station
- The base station provides a connection between the Electronic Shelf Label server and the Electronic Shelf labels so you can easily update them whenever you want.

Power Supply EBS

- Enclosed: no
- Art. code: 10991



Ethernet cable

- Enclosed: no
- Art. code: 12607



Legacy ESL server

- Enclosed: no



Model

EBS-40

Art. code

13665

EBS-50



Main specifications

- Smart ESL base station
- Communicates with your wireless ESLs, hosts the ESL Server Application and can even host its own database server. The EBS-50 is a combination of a Linux microcomputer and a Base Station.

Power supply EBS

- Enclosed: no
- Art. code: 14845



Ethernet cable

- Enclosed: no
- Art. code: 12607



ESL Web server

- Integrated: yes




Model

EBS-50

Art. code

14828

Software




ESL (Web) Server Software

The server software makes it possible to connect any smart device on the same network as the EBS-50 to use its browser to reach the ESL Server Web Interface and manage the labels. No mouse, keyboard or monitor is required.



ESL Cloud Dashboard

You can see the statuses of all your EBS-50's on a centralized overview page. Simply instruct your EBS-50 to send its local system status (as seen on the dashboard landing page) to the Cloud Dashboard.



Compatibility Chart

	SE-214	SE-214F	SE-266R	SE-290	SE-290A	SE-420	SE-583RY	SE-1160R	15305 Rail
Rails									
15305	●	●	●	●	●				
14744	■	■	■	■	■				●
14745	■	■	■	■	■				●
14746	■	■	■	■	■				●
14747	■	■	■	■	■				●
14748	■	■	■	■	■				●
14749	■	■	■	■	■				●
14750	■	■	■	■	■				●
14751	■	■	■	■	■				●
14752	■	■	■	■	■				●
14753	■	■	■	■	■				●
14754	■	■	■	■	■				●
14755	■	■	■	■	■				●
14764	■	■	■	■	■				●
14765	■	■	■	■	■				●
14766	■	■	■	■	■				●
14781	■	■	■	■	■				●
14782	●	●	●	●	●				
14929	■	■	■	■	■				●
14930	■	■	■	■	■				●
14931	■	■	■	■	■				●
14932	■	■	■	■	■				●
15039	■	■	■	■	■				●

- Compatible without extra accessories
- Only compatible with art. 15305

	SE-214	SE-214F	SE-266R	SE-290	SE-290A	SE-420	SE-583RY	SE-1160R
Mounting								
15300	●	●	●	●	●	●	●	
14762	■	■	■	■	■			
14767	■	■	■	■	■	■	●	●
14768	■	■	■	■	■	■	●	●
14769	■	■	■	■	■	■	●	●
14770	■	■	■	■	■	■		
14771	■	■	■	■	■	■		
14772	■	■	■	■	■	■	●	
14773	■	■	■	■	■	■	●	
14774	■	■	■	■	■	■	●	
14775	■	■	■	■	■	■	●	●
14776	■	■	■	■	■	■	●	
14777	■	■	■	■	■	■		
14778	■	■	■	■	■	■	●	
14862							●	●
14919	■	■	■	■	■	■	●	●
14933	■	■	■	■	■			
14992	■	■	■	■	■	■	●	
14993	■	■	■	■	■	■	●	
15080	■	■	■	■	■	■	●	●
15081	■	■	■	■	■	■	●	●
15082	■	■	■	■	■	■	●	●
15083	■	■	■	■	■	■	●	
15301	●	●	●	●	●			
15302	●	●	●	●	●			
15303	●	●	●	●	●			
15304	●	●	●	●	●	●	●	

- Compatible without extra accessories
- Only compatible with art. 15300

≡ OPTICON

Contact details headquarters



Opto Electronics Co., Ltd
Tokyo, Japan
Tel: +81 (0)48-4461183
E-mail: sales@opto.co.jp



Opticon Sensors Europe B.V.
Hoofddorp, The Netherlands
Tel: +31 (0)23-5692700
E-mail: sales@opticon.com



Opticon Inc.
Renton, USA
Tel: +1 425 651-2120
E-mail: sales@opticonusa.com

Contact details regional offices

Opticon Sensors Pty. Ltd.
Sydney, Australia
Phone: +61 (0)2-88754544
Email: sales.au@opticon.com

Opticon Latin America
São Paulo, Brazil
Phone: +55 11 98737 0141
Email: sales.la@opticon.com

Opticon Trading Shanghai Co., Ltd.
Shanghai, China
Phone: +86-21-55500321
Email: china@opticon.com

Opticon S.A.S.U.
Paris, France
Phone: +33 (0)1-55 90 56 40
Email: sales.fr@opticon.com

Opticon Sensoren GmbH
Dreieich, Germany
Phone: +49 (0)6103-40 40 5-0
Email: sales.de@opticon.com

Opticon Italia & Balcani
Castel Maggiore (BO), Italy
Phone: +39 051 6321800
Email: sales-it@opticon.com

Opticon Sensors Philippines Inc.
Makati City, Philippines
Phone: +63 917 1664399
Email: sales.ph@opticon.com

Opticon Sensors Nordic AB
Kista, Sweden
Phone: +46 (0)8-58548560
Email: nordic@opticon.com

Opticon Sensors Europe BV Taiwan branch
Taipei, Taiwan
Phone: +886 2-27597444
Email: taiwan@opticon.com

Opticon Limited
Luton, United Kingdom
Phone: +44 (0)1582-433763
Email: uksales@opticon.com

Opticon Vietnam LLC
Ho Chi Minh City, Vietnam
Phone: +84 28 222 88 262
Email: sales.vn@opticon.com

A large rectangular area with a light gray background and horizontal blue lines, resembling a writing template or a form for text entry. The lines are evenly spaced and extend across the width of the area.

A large rectangular area with a light gray background and horizontal blue lines, resembling a writing template or a form for text entry. The lines are evenly spaced and extend across the width of the area.